

 **mandam**
go farming!



CATALOG






1991+



50+





CULTIVATORS

KUS	8
TOP	10
SPEC HD	12
RHINO	16
SUPER	18
SUPER FRONT	20

SUBSOILERS

MGX	24
MG	26
MGP	28
MGVS	30
GROT	32

DISC HARROWS

TAL-C	40
TAL-K	42
TAL-R	44
GAL-E	46
GAL-C	48
GAL-S	52
GAL-M	54
GAL-K	56
GAL-K HD	60
GAL-K XL	64
SAL	68
WN / WN TANDEM	72
WN TANDEM HD	74

PLOUGHS

FEN	78
ORKAN	80

PRESOWING-SOWING

MWC	84
MCB	86
MCB SWING	90
STAR	92
BEST	94
FLEX	96
SEEDERS	100

GRASSLAND & IMPLEMENTS

EKO-WIR	104
HYBRO	106
EKO-FINGER	108
MBS	110
IMPLEMENTS	112

OPTIONAL EQUIPMENT

OPTIONAL EQUIPMENT	117
TINE CULTIVATOR KIT WEIGHT	128

Before placing an order, please check the validity of the price list. The presented price offer is valid for orders placed from 1/01/2024. The manufacturer reserves the right to change prices, construction, assembly, technical parameters and other physical characteristics of the machines. The machines shown in the pictures may differ from the standard version.






CULTIVATORS



KUS



SHEAR BOLT PROTECTION
(KUS-B)

BORDER DISCS (OPTION)

TWO BANKS OF
5-ELEMENT TINE
ASSEMBLIES

NOTCHED DISCS D= 465MM

V-RING ROLLER WITH PADDLES
D=600 MM (OPTION)

KUS 3,0 B



KUS									
		M			PC	PC	HP	KG	PRICE
0500	KUS 2,2 B	2,20	-	-	5	4	60	625	4 810 €
0505	KUS 2,2 S	2,20	-	+	5	4	70	835	7 190 €
0510	KUS 2,6 B	2,60	-	-	6	5	80	756	5 750 €
0515	KUS 2,6 S	2,60	-	+	6	5	90	932	7 810 €
0520	KUS 3,0 B	3,00	-	-	7	6	100	809	6 490 €
0525	KUS 3,0 S	3,00	-	+	7	6	110	1196	9 150 €
0570	KUS 3,8 B	3,80	-	-	9	8	140	1197	9 790 €
0575	KUS 3,8 S	3,80	-	+	9	8	150	1622	14 715 €
0530	KUS 3,8 BH	3,80	+	-	9	8	150	1552	10 605 €
0535	KUS 3,8 SH	3,80	+	+	9	8	160	1934	15 490 €
0540	KUS 4,8 BH	4,80	+	-	11	10	160	1794	13 880 €
0545	KUS 4,8 SH	4,80	+	+	11	10	170	1953	17 450 €
0550	KUS 5,6 BH	5,60	+	-	13	12	200	1990	17 260 €
0555	KUS 5,6 SH	5,60	+	+	13	12	210	2482	23 370 €


OPTIONAL EQUIPMENT (SURCHARGE)	2,20	2,60	3,00	3,80	4,80	5,60
Border discs (set)	600 €					
Hitch bar	160 €					
Inner spring (set)	155 €	190 €	250 €	310 €	375 €	450 €
Tubular roller d=540 mm	1 310 €	1 450 €	1 570 €	2 900 €	3 160 €	3 495 €
Tubular roller d=620 mm	1 465 €	1 625 €	1 850 €	3 295 €	3 680 €	4 020 €
T-ring roller d=600 mm	2 105 €	2 435 €	2 745 €	3 830 €	4 620 €	5 395 €
V-ring roller d=600 mm	1 885 €	2 175 €	2 445 €	3 550 €	4 235 €	4 870 €
V-ring roller with paddles d=600 mm	2 000 €	2 305 €	2 590 €	3 740 €	4 470 €	5 115 €
C-ring roller d=600 mm	2 245 €	2 595 €	2 935 €	4 070 €	4 915 €	5 745 €
C-ring roller tandem d=600 mm	2 690 €	3 105 €	3 510 €	4 895 €	5 895 €	6 885 €
C-ring Tandem HD roller d=600 mm	2 825 €	3 340 €	3 855 €	5 140 €	6 170 €	7 195 €
Spring roller d=560 mm	4 030 €	4 745 €	5 445 €	7 400 €	8 815 €	10 290 €
Packer roller d=600 mm	2 500 €	2 885 €	3 255 €	4 765 €	5 520 €	6 440 €
Rubber roller d=500 mm	4 700 €	5 485 €	6 240 €	8 760 €	10 305 €	12 035 €
Disc roller d=600 mm	4 050 €	4 725 €	5 405 €	7 490 €	8 845 €	10 320 €
Tine cultivator in front of roller (BPPW)	825 €	925 €	1 025 €	1 945 €	2 140 €	2 355 €
Tine cultivator behind roller (BPZW)	985 €	1 110 €	1 235 €	2 215 €	2 465 €	2 750 €
LED lights	635 €					
Hydraulic working depth adjustment (HRGP)	1 280 €			3 790 €		

Heavy Duty „HD“ version of V-ring/T-ring/C-ring rollers available for an additional surcharge of 12% [does not apply to C-ring TANDEM HD included in the price list]

Attention! The basic price does not include the roller. Option prices do not apply as a spare part prices. Possible surcharge for packaging.

Seeders and seeder brackets - page 100
 Option descriptions & pictures - page 116-125
 Detailed information about the options and their application can be found at www.mandam.com.pl

TOP



SHEAR BOLT
PROTECTION (TOP-B)

V-RING ROLLER WITH
PADDLES D=600 MM (OPTION)


UNDER FRAME
CLEARANCE 800 MM

BORDER DISCS RANGE
ADJUSTMENT

MAINTENANCE
FREE HUBS

TOP 3,0

10 CHISEL CULTIVATOR TOP




#	TOP								PRICE
		M	PC	PC	HP**	KG			
0771	TOP 2,5	2,50	-	9	6	105	920	7 600 €	
0770	TOP 2,5	2,50	-	11	8	120	1062	8 155 €	
0725	TOP 3,0	3,00	-	10	8	120	1078	8 605 €	
0780	TOP 3,0	3,00	-	13	10	150	1174	9 205 €	
0730	TOP 4,0 H	4,00	+	13	10	160	1777	14 505 €	
0790	TOP 4,0 H	4,00	+	17	12	200	1933	16 060 €	
0735	TOP 4,8H	4,80	+	16	12	190	2085	18 210 €	
0765	TOP 4,8H	4,80	+	22	16	300	2136	20 810 €	
0776	TOP 2,5 S	2,50	-	9	6	120	1238	11 460 €	
0775	TOP 2,5 S	2,50	-	11	8	140	1298	12 190 €	
0750	TOP 3,0 S	3,00	-	10	8	140	1360	13 140 €	
0785	TOP 3,0 S	3,00	-	13	10	180	1575	14 590 €	
0755	TOP 4,0 SH	4,00	+	13	10	180	2390	22 025 €	
0795	TOP 4,0 SH	4,00	+	17	12	240	2669	24 095 €	
0760	TOP 4,8 SH	4,80	+	16	12	220	2705	22 975 €	
0796	TOP 6,0 SH *	6,00	+	20	15	300	5010	50 105 €	

* machine with a netintegrated transport chassis ** minimum power requirement for working at 10-12 cm depth

OPTIONAL EQUIPMENT (SURCHARGE)	2,50/9	2,50/11	3,00/10	3,00 /13	4,00/13	4,00/17	4,80 /16	4,80/22	6,00/20
Share point H (set)	365 €	445 €	405 €	525 €	525 €	690 €	650 €	890 €	810 €
Reversible Chisel share 40 mm (set)	475 €	580 €	530 €	685 €	685 €	900 €	845 €	1 160 €	1 055 €
Transport chassis	9 450 €								STANDARD
Transport chassis with braked axle	10 840 €								1 345 €
Disc section with rubber suspension	465 €	465 €	560 €	560 €	745 €	745 €	895 €	895 €	1 115 €
Hydraulic border disc adjustment ***	1 325 €	1 325 €	1 420 €	1 420 €	1 605 €	1 605 €	1 755 €	1 755 €	1 980 €
Tubular roller d=540 mm	1 450 €	1 450 €	1 570 €	1 570 €	2 900 €	2 900 €	3 160 €	3 160 €	3 585 €
Tubular roller d=620 mm	1 625 €	1 625 €	1 850 €	1 850 €	3 295 €	3 295 €	3 680 €	3 680 €	4 185 €
T-ring roller d=600 mm	2 435 €	2 435 €	2 745 €	2 745 €	3 830 €	3 830 €	4 620 €	4 620 €	5 740 €
V-ring roller d=600 mm	2 175 €	2 175 €	2 445 €	2 445 €	3 550 €	3 550 €	4 235 €	4 235 €	5 145 €
V-ring roller with paddles d=600 mm	2 305 €	2 305 €	2 590 €	2 590 €	3 740 €	3 740 €	4 470 €	4 470 €	5 445 €
C-ring roller d=600 mm	2 595 €	2 595 €	2 935 €	2 935 €	4 070 €	4 070 €	4 915 €	4 915 €	6 120 €
C-ring Tandem roller d=600 mm	3 105 €	3 105 €	3 510 €	3 510 €	4 895 €	4 895 €	5 895 €	5 895 €	7 335 €
C-ring Tandem HD roller d=600 mm	3 340 €	3 340 €	3 855 €	3 855 €	5 140 €	5 140 €	6 170 €	6 170 €	7 710 €
Spring roller d=560 mm	4 745 €	4 745 €	5 445 €	5 445 €	7 400 €	7 400 €	8 815 €	8 815 €	11 005 €
Packer roller d=600 mm	2 885 €	2 885 €	3 255 €	3 255 €	4 765 €	4 765 €	5 520 €	5 520 €	6 850 €
Rubber roller d=500 mm	5 485 €	5 485 €	6 240 €	6 240 €	8 760 €	8 760 €	10 305 €	10 305 €	12 835 €
Disc roller d=600 mm	4 725 €	4 725 €	5 405 €	5 405 €	7 490 €	7 490 €	8 845 €	8 845 €	11 030 €
Tine cultivator behind roller (BPZW)	1 110 €	1 110 €	1 235 €	1 235 €	2 215 €	2 215 €	2 465 €	2 615 €	2 895 €
LED lights									635 €
LED lights for transport chassis									1 040 €
Hydraulic working depth adjustment (HRGP)					1 280 €		3 790 €		

*** Heavy Duty „HD“ version of V-ring/T-ring/C-ring rollers available for an additional surcharge of 12% (does not apply to C-ring TANDEM HD included in the price list)
** rubber protection disc beam only

Seeders and seeder brackets - page 100
Option descriptions & pictures - page 116-125
Detailed information about the options and their application can be found at www.mandam.com.pl



DOUBLE SPRING PROTECTION

TUBULAR ROLLER
D=540 MM (OPTION)

MAINTENANCE
FREE HUBS


UNDER FRAME
CLEARANCE 800 MM

CURVED TINE


BORDER DISCS RANGE
ADJUSTMENT

SPEC HD 3,0







#	SPEC HD	      						PRICE
		M		PC	PC	HP**	KG	
6815	SPEC HD 2,50	2,50	-	8	7	110/160**	1319	12 860 €
6800	SPEC HD 3,00	3,00	-	10	8	130/190**	1505	15 430 €
6805	SPEC HD 4,00 H	4,00	+	13	10	180/250**	2520	27 190 €
6820	SPEC HD 4,80 H*	4,80*	+	16	12	220/330**	3365	48 055 €


* machine with an nettointegrated transport chassis **minimum power required for a 30 cm deep cultivation

OPTIONAL EQUIPLENT (SURCHARGE)	2,50	3,00	4,00	4,80
Transport chassis		9 450 €		standard
Transport chassis with braked axle			10 840 €	1 345 €
Share point H (set)	320 €	405 €	525 €	650 €
Share point DX (set)	705 €	880 €	1 145 €	1 410 €
Share point HX (set)	845 €	1 055 €	1 375 €	1 690 €
Reversible Chisel share 40 mm (set)	815 €	1 015 €	1 320 €	1 625 €
Disc section with rubber suspension	465 €	560 €	745 €	895 €
Hydraulic border disc adjustment ***	1 325 €	1 420 €	1 605 €	1 755 €
Tubular roller d=540 mm	1 450 €	1 570 €	2 900 €	2 835 €
Tubular roller d=620 mm	1 625 €	1 850 €	3 295 €	3 175 €
T-ring roller d=600 mm	2 435 €	2 745 €	3 830 €	4 700 €
V-ring roller d=600 mm	2 175 €	2 445 €	3 550 €	4 200 €
V-ring roller with paddles d=600 mm	2 305 €	2 590 €	3 740 €	4 455 €
C-ring roller d=600 mm	2 595 €	2 935 €	4 070 €	5 020 €
C-ring Tandem roller d=600 mm	3 105 €	3 510 €	4 895 €	6 000 €
C-ring Tandem HD roller d=600 mm	3 340 €	3 855 €	5 090 €	6 170 €
Spring roller d=560 mm	4 745 €	5 445 €	7 400 €	9 130 €
Packer roller d=600 mm	2 885 €	3 255 €	4 765 €	5 585 €
Rubber roller d=500 mm	5 485 €	6 240 €	8 760 €	10 575 €
Disc roller d=600 mm	4 725 €	5 405 €	7 490 €	9 115 €
Tine cultivator behind roller (BPZW)	1 110 €	1 235 €	2 215 €	
LED lights			635 €	
LED lights for transport chassis			1 040 €	
Hydraulic working depth adjustment (HRGP)	1 280 €		3 790 €	standard
Support wheels 10,8/80x12 (set)				standard

Heavy Duty „HD” version of V-ring/T-ring/C-ring rollers available for an additional surcharge of 12% (does not apply to C-ring TANDEM HD included in the price list)
***rubber protection disc beam only

Attention! The basic price does not include the roller. Option prices do not apply as a spare part prices. Possible surcharge for packaging.

Seeders and seeder brackets - page 100
Option descriptions & pictures - page 116-125
Detailed information about the options and their application can be found at www.mandam.com.pl



4 BANKS OF TINES

DOUBLE SPRING PROTECTION

HYDRAULIC WORKING DEPTH ADJUSTMENT (HRGP)

FRONT SUPPORT WHEELS

MAINTENANCE FREE HUBS

C-RING TANDEM ROLLER D=600 MM (OPTION)



#	RHINO							
		M		PC	PC	HP**	KG	PRICE
6450	RHINO 4,0 H	4,00	+	15	10	240	6398	47 385 €
6455	RHINO 6,0 H	6,00	+	21	12	320	6829	69 160 €

** minimum power requirement for working at 10-12 cm depth

OPTIONAL EQUIPLENT (SURCHARGE)		4,00	6,00
Share point H (set)		605 €	850 €
Share point DH (set)		1 320 €	1 850 €
Share point HX (set)		1 585 €	2 220 €
Reversible Chisel share 40 mm (set)		1 520 €	2 130 €
Disc section with rubber suspension		745 €	1 115 €
Hydraulic border disc adjustment ***		1 605 €	1 755 €
Tubular roller d=620 mm		2 935 €	3 710 €
T-ring roller d=600 mm		3 910 €	5 495 €
V-ring roller d=600 mm		3 510 €	4 885 €
V-ring roller with paddles d=600 mm		3 730 €	5 180 €
C-ring roller d=600 mm		4 175 €	5 865 €
C-ring Tandem roller d=600 mm		5 010 €	7 015 €
C-ring Tandem HD roller d=600 mm		5 445 €	7 710 €
Spring roller d=560 mm		8 055 €	10 895 €
Packer roller d=600 mm		5 000 €	6 510 €
Rubber roller d=500 mm		9 405 €	12 480 €
Disc roller d=600 mm		7 490 €	11 030 €
Tine cultivator behind roller (BPZW)		1 970 €	2 475 €
LED lights			standard

Heavy Duty „HD“ version of V-ring/T-ring/C-ring rollers available for an additional surcharge of 12% (does not apply to C-ring TANDEM HD included in the price list)
 ***rubber protection disc beam only



Attention! The basic price does not include the roller. Option prices do not apply as a spare part prices. Possible surcharge for packaging.
 Option descriptions & pictures - page 116-125
 Detailed information about the options and their application can be found at www.mandam.com.pl



HYDRAULIC WORKING DEPTH ADJUSTMENT (HRGP)

HYDRAULIC-MECHANICAL TRANSPORT LOCKOUT (HBS)

V-RING ROLLER D=600 MM (OPTION)

4 BANKS OF 70X12 MM TINES WITH 180 MM SWEEPS

SUPER 6,0 H



#	SUPER					
		M	PC	HP	KG	PRICE
2125	SUPER 3,0	3,00	-	19	80	10 860 €
2130	SUPER 4,0 H	4,00	+	25	100	16 115 €
2135	SUPER 5,0 H	5,00	+	31	120	20 145 €
2140	SUPER 6,0 H	6,00	+	37	140	24 175 €

OPTIONAL EQUIPLET (SURCHARGE)	3,00	4,00	5,00	6,00
Sweeps 200 mm (set)	65 €	90 €	110 €	130 €
All X share (set)	400 €	530 €	655 €	780 €
Tubular roller d=540 mm	1 570 €	2 900 €	3 320 €	3 420 €
Tubular roller d=620 mm	1 850 €	3 295 €	3 795 €	4 240 €
T-ring roller d=600 mm	2 745 €	3 830 €	4 920 €	5 865 €
V-ring roller d=600 mm	2 445 €	3 550 €	4 450 €	5 270 €
V-ring roller with paddles d=600 mm	2 590 €	3 740 €	4 680 €	5 595 €
C-ring roller d=600 mm	2 935 €	4 070 €	5 230 €	6 265 €
Rubber roller d=500 mm	6 240 €	8 760 €	11 295 €	13 005 €
Disc roller d=600 mm	5 405 €	7 490 €	9 645 €	11 030 €
Tine cultivator in front of roller (BPPW)	1 025 €	1 945 €	2 265 €	2 405 €
LED lights	635 €			

Heavy Duty „HD“ version of V-ring/T-ring/C-ring rollers available for an additional surcharge of 12% (does not apply to C-ring TANDEM HD included in the price list)

Attention! The basic price does not include the roller. Basic price includes Hydraulic-mechanical transport lockout (HBS). Option prices do not apply as a spare part prices. Possible surcharge for packaging.

Option descriptions & pictures - page 116-125
Detailed information about the options and their application can be found at www.mandam.com.pl



SUPER FRONT



#	SUPER FRONT								
		M		PC	HP	KG	PRICE		
4750	SUPER FRONT 3,0	3,00	-	11	70	685	5 535 €		
4755	SUPER FRONT 3,5	3,50	-	12	80	700	6 460 €		
4760	SUPER FRONT 4,0	4,00	-	13	110	1000	7 380 €		
4765	SUPER FRONT 4,0 H	4,00	+	13	110	1195	9 225 €		
4770	SUPER FRONT 4,5 H	4,50	+	15	120	1280	10 380 €		
4775	SUPER FRONT 5,0 H	5,00	+	17	130	1370	11 535 €		
4780	SUPER FRONT 6,0 H	6,00	+	21	150	1445	13 840 €		
OPTIONAL EQUIPLENT (SURCHARGE)				3,00	3,50	4,00	4,50	5,00	6,00
Sweeps 200 mm (set)				40 €	40 €	45 €	55 €	60 €	75 €
All X share (set)				230 €	255 €	275 €	315 €	360 €	445 €







SUBSOILERS






V-RING ROLLER
D=600 MM (OPTION)

BOLT-ON ROLLER
BRACKET (OPTION)

ADJUSTABLE TINE SPACING

X TINE WITH REPLACEABLE
SHIN BLADE (OPTION)

MGX



DRAIN WEIGHT WITH A CHAIN

#	MGX	M	PC	HP	KG	PRICE***
4800	MGX 2200 (FRAME ONLY)*	1,5-2,20	-	2/3	120	2 185 €
4810	MGX 3000 (FRAME ONLY)*	1,80-2,75	-	4/5	180	2 980 €

*** frame only, no tines


OPTIONAL EQUIPLENT (SURCHARGE)	MGX 2200	MGX 3000
Standard tine with bracket and 190 mm wide share point (set)	1 220 €	
X tine with bracket and 190 mm wide share point (set)	1 540 €	
Narrow share point 105 mm (pc)	no surcharge	
Narrow hardened share point 105 mm (pc)	95 €	
Wide hardened share point 190 mm (pc)	115 €	
Wide hardened share point 190 mm with carbide plate (pc)	185 €	
Knife share point (pc)	250 €	
Tubular roller d=540 mm**	1 865 €	2 125 €
Tubular roller d=620 mm**	1 960 €	2 345 €
T-ring roller d=600 mm**	2 605 €	3 430 €
V-ring roller d=600 mm**	2 580 €	3 170 €
V-ring roller with paddles d=600 mm**	2 655 €	3 320 €
C-ring roller d=600 mm**	2 880 €	3 750 €
Drain weight with a chain (pc)	75 €	
LED lights	635 €	

** price includes roller and roller arms with brackets


*how to build MGX subsoiler:

1. Choose frame width / tine spacing
2. Choose number & type of tines (standard or X)
3. Choose sharepoint type
4. Choose roller or other options

Attention! The basic price does not include the roller. Possible surcharge for packaging.



Option descriptions & pictures - page 116-125
Detailed information about the options and their application can be found at www.mandam.com.pl



MG3 1800 WITH A ROLLER




#	MG						
		M		PC	HP	KG	PRICE
2545	MG 1 1000	1,00	-	1	60	272	2 840 €
2500	MG 2 1500	1,50	-	2	80	463	4 030 €
2535	MG 2 1600	1,60	-	2	80	416	4 050 €
2505	MG 2 1800	1,80	-	2	80	470	4 075 €
2510	MG 2 2000	2,00	-	2	80	442	4 300 €
2515	MG 2 2200	2,20	-	2	80	495	4 330 €
2520	MG 3 1800	1,80	-	3	120	585	5 070 €
2525	MG 3 2000	2,00	-	3	120	595	5 145 €
2530	MG 4 3000	3,00	-	4	160	775	6 655 €
2540	MG 5 3000	3,00	-	5	200	870	7 530 €

OPTIONAL EQUIPLENT (SURCHARGE)	1,00	1,50	1,60	1,80	2,00	2,20	3,00
Drain weight with a chain (pc)				75 €			
X tine with wide share point 190 mm (pc)				530 €			
Narrow share point 105 mm (pc)				no surcharge			
Narrow hardened share point 105 mm (pc)				95 €			
Wide hardened share point 190 mm (pc)				115 €			
Wide hardened share point 190 mm with carbide plate (pc)				185 €			
Knife share point (pc)				250 €			
Tubular roller d=540 mm *		1 635 €	1 710 €	1 760 €	1 785 €	1 850 €	2 095 €
Tubular roller d=620 mm *		1 760 €	1 795 €	1 835 €	1 885 €	1 905 €	2 290 €
T-ring roller d=600 mm *		2 480 €	2 520 €	2 565 €	2 630 €	2 670 €	3 310 €
V-ring roller d=600 mm *		2 375 €	2 395 €	2 430 €	2 480 €	2 505 €	3 065 €
V-ring roller with paddles d=600 mm *		2 410 €	2 430 €	2 465 €	2 520 €	2 540 €	3 135 €
C-ring roller d=600mm *		2 590 €	2 640 €	2 695 €	2 715 €	2 760 €	3 450 €
LED lights				635 €			

* roller arms included

Attention! Option prices do not apply as a spare part prices. Possible surcharge for packaging.

Option descriptions & pictures - page 116-125
Detailed information about the options and their application can be found at www.mandam.com.pl



SEEDER COMPRESSION TUNBACKLE LINK

PROFILED TINE WITH A REVERSIBLE SHARE

DRAFT LINKS





MGP6 3000



HYDRAULIC DRAFT LINKS WITH HOOKS (MGPH)



MECHANICAL DRAFT LINKS WITH HOOKS (MGP)

#	MGP						
		M		PC	HP	KG	PRICE
6100	MGP6 3000	3,00	-	6	190	995	9 170 €
6110	MGP8 4000	4,00	-	8	250	1210	11 395 €
6105	MGPH6 3000	3,00	-	6	190	1024	10 840 €
6115	MGPH8 4000	4,00	-	8	250	1315	13 505 €
6130	MGPH10 6000	6,00	-	10	300	2160	21 155 €
6120	MGPH12 6000	6,00	-	12	360	2225	22 955 €

Standard Rear coupling: spacing cat.II / hook cat.II

OPTIONAL EQUIPMENT (SURCHARGE)	
Support wheels 10,8/80-12" (set)	1 805 €
LED lights	635 €
Reversible weld-on share point (pc)	75 €
Offset-share point assembly (pc)	190 €
Rear coupling: spacing cat.II / hook cat.III	850 €
Rear coupling: spacing cat.III / hook cat.III	815 €



OFFSET-SHARE POINT ASSEMBLY

Attention! Option prices do not apply as a spare part prices. Possible surcharge for packaging.

Option descriptions & pictures - page 116-125
Detailed information about the options and their application can be found at www.mandam.com.pl









V-SHAPED FRAME

DOUBLE SPRING PROTECTION

SUPPORT WHEELS (OPTION)

MGVS



#	MGVS						
		M		PC	HP	KG	PRICE
6135	MGVS6 3000	3,00	+	6	190	2060	18 580 €

OPTIONAL EQUIPLENT (SURCHARGE)	
Support wheels 10,8/80-12" (set)	1 805 €
LED lights	635 €
Reversible weld-on share point (pc)	75 €
Offset-share point assembly (pc)	190 €

Attention! Option prices do not apply as a spare part prices. Possible surcharge for packaging.

Option descriptions & pictures - page 116-125
 Detailed information about the options and their application can be found at www.mandam.com.pl



WORKING DEPTH DIAL

SIDE SPIKE ROLLER

ADJUSTABLE ROLLER SPACING

MAINTENANCE FREE ROLLER BEARINGS

SPIKE TANDEM ROLLER D=560MM

AGGRESSIVE TINE WITH ADJUSTABLE WING BLADES

GROT 3,0/7 NS



GROT





#	GROT						
		M	PC	MM	HP	KG	PRICE
7010	Grot 2,2/5	2,20	5	500	180	2250	18 270 €
7000	Grot 3,0/5	3,00	5	675	180	2580	20 745 €
7005	Grot 3,0/7	3,00	7	450	260	2900	23 385 €

#	GROT-NS						
		M	PC	MM	HP	KG	PRICE
7050	Grot 2,2/5 NS	2,20	5	500	180	2560	21 520 €
7055	Grot 3,0/5 NS	3,00	5	675	180	2877	27 465 €
7060	Grot 3,0/7 NS	3,00	7	450	260	3175	29 975 €

OPTIONAL EQUIPLENT (SURCHARGE)	
Reversible weld-on share point (pc)	40 €
Side spike roller d=560 mm (left & right)	2 090 €
LED lights	635 €



Attention! Option prices do not apply as a spare part prices. Possible surcharge for packaging.

Option descriptions & pictures - page 116-125
 Detailed information about the options and their application can be found at www.mandam.com.pl





DISC HARROWS



GAL-C TAL-C SAL	STANDARD, CARRIED
GAL-E	COMPACT SIZE, HYDRAULIC ROLLER OPERATION
GAL-S	WITH A SEEDER LIFT
TAL- R	SYMMETRICAL DISCS ALIGNMENT
GAL-M	FOR SLURRY TANK AGGREGATION
GAL-K TAL-K SAL-K	TRAILED, WITH AN INTEGRATED CHASSIS
GAL-K HD	TRAILED, HEAVY DUTY, WITH AN INTEGRATED CHASSIS
GAL-K XL	TRAILED, THREE SECTION WITH SEPARATED ROLLER SECTION, WITH AN INTEGRATED CHASSIS


DISC HARROWS

Additional Homologation equipment included in basic BTH machine price:

1. Dual circuit brake system (hydraulic or pneumatic) with additional mechanical parking brake
2. Braked axle
3. Rear traffic LED lights with reflective boards & red triangle reflectors
4. Front lights with a reflective boards & white rectangular reflectors
5. Mudguards with rectangular orange reflectors
6. Side tilts with mounting straps
7. Padlock
8. Numberplate with homologation number
9. Hydraulic hose connection guide diagram



Disc harrows with road homologation (BTH) available with drawbar hitch only



TAL-C 3,0



#	TAL-C									
		M		PC	MM	MM	HP	KG	PRICE	
2275	TAL-C 2,5	2,50	-	100x13	20	930	d=560	80	1073	12 155 €
2250	TAL-C 3,0	3,00	-	100x13	24	930	d=560	100	1260	13 655 €
2280	TAL-C 3,5	3,50	-	100x13	28	930	d=560	120	1385	17 270 €
2255	TAL-C 4,0	4,00	-	100x13	32	930	d=560	140	1595	19 935 €
2260	TAL-C 4,0 H	4,00	+	100x13	32	1030	d=560	160	2100	24 595 €
2285	TAL-C 4,5 H	4,50	+	100x13	36	1030	d=560	170	2260	26 815 €
2265	TAL-C 5,0 H	5,00	+	100x13	40	1030	d=560	180	2434	28 760 €
2270	TAL-C 6,0 H	6,00	+	100x13	48	1030	d=560	200	2658	33 210 €

OPTIONAL EQUIPLENT (SURCHARGE)	2,50	3,00	3,50	4,00	4,0 H	4,5 H	5,0 H	6,0 H
Transport chassis	4 765 €							
Disc d= 610/5 mm (set)	595 €	725 €	855 €	990 €	1 120 €	1 255 €	1 520 €	
RZ disc d= 560/5 mm (set)	1 560 €	1 905 €	2 255 €	2 600 €	2 945 €	3 290 €	3 985 €	
RZ disc d=610/5 mm (set)	1 660 €	2 030 €	2 400 €	2 770 €	3 135 €	3 505 €	4 245 €	
Stone protection plate (set)	670 €	805 €	940 €	1 070 €	1 205 €	1 340 €	1 605 €	
Tubular roller d=540 mm	1 450 €	1 570 €	1 655 €	2 620 €	2 690 €	2 905 €	3 135 €	
Tubular roller d=620 mm	1 625 €	1 850 €	1 910 €	2 935 €	3 010 €	3 255 €	3 710 €	
T-ring roller d=600 mm	2 435 €	2 745 €	3 205 €	3 910 €	4 540 €	4 870 €	5 495 €	
V-ring roller d=600 mm	2 175 €	2 445 €	2 850 €	3 510 €	4 060 €	4 340 €	4 885 €	
V-ring roller with paddles d=600 mm	2 305 €	2 590 €	2 875 €	3 730 €	4 305 €	4 610 €	5 180 €	
C-ring roller d=600 mm	2 595 €	2 935 €	3 430 €	4 175 €	4 840 €	5 190 €	5 865 €	
C-ring Tandem roller d=600 mm	3 105 €	3 510 €	4 100 €	5 010 €	5 790 €	6 210 €	7 015 €	
C-ring Tandem HD roller d=600 mm	3 340 €	3 855 €	4 500 €	5 425 €	6 100 €	6 685 €	7 710 €	
Spring roller d=560 mm	4 745 €	5 445 €	6 345 €	8 055 €	8 410 €	9 485 €	10 895 €	
Packer roller d=600 mm	2 885 €	3 255 €	3 795 €	5 000 €	5 195 €	5 775 €	6 510 €	
Rubber roller d=500 mm	5 485 €	6 240 €	7 280 €	9 405 €	9 795 €	10 970 €	12 480 €	
Disc roller d=600 mm	4 560 €	5 405 €	6 305 €	8 095 €	8 435 €	9 455 €	10 810 €	
Tine cultivator in front of roller (BPPW)	925 €	1 025 €	1 110 €	1 655 €	1 755 €	1 850 €	2 050 €	
Tine cultivator behind roller (BPZW)	1 110 €	1 235 €	1 365 €	1 970 €	2 095 €	2 225 €	2 475 €	
Middle solid screen (ES)	265 €	290 €	385 €	480 €	500 €	525 €	575 €	
Middle tine screen (EA)	500 €	600 €	745 €	835 €	915 €	1 005 €	1 200 €	
Support wheels 10,8/80x12" (set)							2 890 €	
LED lights							915 €	
Hydraulic working depth adjustment (HRGP)	1 280 €				2 905 €			

Heavy Duty „HD“ version of V-ring/T-ring/C-ring rollers available for an additional surcharge of 12% (does not apply to C-ring TANDEM HD included in the price list)

Attention! The basic price does not include the roller. Basic price includes Hydraulic-mechanical transport lockout (HBS). Option prices do not apply as a spare part prices. Possible surcharge for packaging.

Seeders and seeder brackets - page 100

Option descriptions & pictures - page 116-125

Detailed information about the options and their application can be found at www.mandam.com.pl

TAL-K



HYDRAULIC WORKING DEPTH ADJUSTMENT (HRGP)

HITCH DAMPING KIT (OPTION)

LED LIGHTS (OPTION)

HYDRAULIC-MECHANICAL TRANSPORT LOCKOUT (HBS)

MIDDLE SOLID SCREEN (ES) (OPTION)

SIDE SCREEN ON A LEAF SPRING

MAINTENANCE FREE HUB

TAL-K 5,0 H



#	TAL-K	M			PC	MM	MM	HP	KG	PRICE
5310	TAL-K 4,0 H	4,00	+	100x13	32	1030	d=560	150	3521	37 415 €
5315	TAL-K 5,0 H	5,00	+	100x13	40	1030	d=560	180	3756	43 030 €
5300	TAL-K 6,0 H	6,00	+	100x13	48	1030	d=560	200	4158	49 530 €
5305	TAL-K 8,0 H	8,00	+	100x13	64	930	d=560	220	5366	90 350 €
5320	TAK-K 10,0 H	10,00	+	100x13	80	930	d=560	380	7720	99 400 €
5325	TAL-K 12,0 H	12,00	+	100x13	96	930	d=560	420	8220	108 840 €
OPTIONAL EQUIPMENT (SURCHARGE)				4,0 H	5,0 H	6,0 H	8,0 H	10,0 H	12,0 H	
Disc d= 610/5 mm (set)				990 €	1 255 €	1 520 €	2 045 €	2 510 €	3 035 €	
RZ disc d= 560/5 mm (set)				2 600 €	3 290 €	3 985 €	5 370 €	6 755 €	8 145 €	
RZ disc d= 610/5 mm (set)				2 770 €	3 505 €	4 245 €	5 720 €	7 195 €	8 675 €	
Stone protection plate (set)				1 070 €	1 340 €	1 605 €	2 145 €	2 675 €	3 210 €	
Tubular roller d=540 mm				2 620 €	2 905 €	3 135 €	5 235 €	5 805 €	6 275 €	
Tubular roller d=620 mm				2 935 €	3 255 €	3 710 €	5 865 €	6 505 €	7 415 €	
T-ring roller d=600 mm				3 910 €	4 870 €	5 495 €	7 820 €	9 735 €	10 985 €	
V-ring roller d=600 mm				3 510 €	4 340 €	4 885 €	7 025 €	8 685 €	9 775 €	
V-ring roller with paddles d=600 mm				3 730 €	4 610 €	5 180 €	7 460 €	9 220 €	10 365 €	
C-ring roller d=600 mm				4 175 €	5 190 €	5 865 €	8 355 €	10 385 €	11 730 €	
C-ring Tandem roller d=600 mm				5 010 €	6 210 €	7 015 €	10 020 €	12 415 €	14 030 €	
C-ring Tandem HD roller d=600 mm				5 425 €	6 685 €	7 710 €	10 845 €	13 365 €	15 425 €	
Spring roller d=560 mm				8 055 €	9 485 €	10 895 €	16 110 €	18 970 €	21 785 €	
Packer roller d=600 mm				5 000 €	5 775 €	6 510 €	10 000 €	11 550 €	13 020 €	
Rubber roller d=500 mm				9 405 €	10 970 €	12 480 €	18 810 €	21 935 €	24 965 €	
Disc roller d=600 mm				8 095 €	9 455 €	10 810 €	16 185 €	18 910 €	21 620 €	
Tine cultivator behind roller (BPZW)				1 970 €	2 225 €	2 475 €	3 935 €	4 445 €	4 945 €	
Middle solid screen (ES)				480 €	525 €	575 €	955 €	1 055 €	1 155 €	
Middle tine screen (EA)				835 €	1 005 €	1 200 €	1 660 €	2 010 €	2 400 €	
Support wheels 10,8/80x12" (set)					2 890 €					
Wheels 620/40-22,5"					2 700 €				standard	
Mudguards (set)					255 €					
EU road homologation (BTH) kit					6 610 €					
Ball hitch K80							860 €			
Hydraulic box with a switch control module							1 230 €			
Hitch damping kit					800 €					
LED lights					1 040 €				standard	
Pneumatic brakes					2 535 €				standard	
Hydraulic brakes					2 890 €				350 €	
Cultivator SKAN				5 865 €	6 495 €	6 715 €				
Hydraulic adjustment SKAN					1 475 €					

Heavy Duty „HD“ version of V-ring/T-ring/C-ring rollers available for an additional surcharge of 12% (does not apply to C-ring TANDEM HD included in the price list)


Attention! 8-10-12m machines with C-ring Tandem roller and Tine cultivator behind (BPZW) exceed 4 m transport height!

The basic price does not include the roller. Basic price includes Hydraulic-mechanical transport lockout (HBS). Option prices do not apply as a spare part prices. Possible surcharge for packaging.

Seeders and seeder brackets - page 100

Option descriptions & pictures - page 116-125

Detailed information about the options and their application can be found at www.mandam.com.pl




TAL-R



#	TAL-R	M			PC	MM	MM	HP	KG	PRICE
6500	TAL-R 3,0	3,00	-	150x14	20	1125	d=620	130	1485	15 700 €

OPTIONAL EQUIPLENT (SURCHARGE)		3,00
Tubular roller d=540 mm		1 570 €
Tubular roller d=620 mm		1 850 €
T-ring roller d=600 mm		2 745 €
V-ring roller d=600 mm		2 445 €
V-ring roller with paddles d=600 mm		2 590 €
C-ring roller d=600 mm		2 935 €
Spring roller d=560 mm		5 445 €
Packer roller d=600 mm		3 255 €
Rubber roller d=500 mm		6 240 €
Disc roller d=600 mm		5 405 €
Transport wheel		4 175 €
LED lights		635 €

Heavy Duty „HD” version of V-ring/T-ring/C-ring rollers available for an additional surcharge of 12% (does not apply to C-ring TANDEM HD included in the price list)



Attention! The basic price does not include the roller. Basic price includes Hydraulic-mechanical transport lockout (HBS). Option prices do not apply as a spare part prices. Possible surcharge for packaging.

Seeders and seeder brackets - page 100
 Option descriptions & pictures - page 116-125
 Detailed information about the options and their application can be found at www.mandam.com.pl



HYDRAULIC WORKING DEPTH
ADJUSTMENT (HRGP) AND TRANSPORT
POSITION HYDRAULIC ROLLER FOLDING

GAL-E



800 MM AXLE-TO-AXLE
DISC SPACING

5- YEAR WARRANTY
MAINTENANCE FREE HUB

GAL-E



#	GAL-E										
		M			PC	MM	MM	HP		KG	PRICE
7600	GAL-E 2,0	2,00	-	rubber	16	800	d=560	75		1200	10 750 €
7605	GAL-E 2,5	2,50	-	rubber	20	800	d=560	80		1347	12 125 €
7610	GAL-E 3,0	3,00	-	rubber	24	800	d=560	100		1500	13 935 €

OPTIONAL EQUIPLENT (SURCHARGE)	2,0	2,5	3,0
Bolted disc hubs (set)	900 €	1 125 €	1 350 €
Shallow Disc d=560/5 mm (set)	230 €	290 €	345 €
RZ disc d=560 mm /5mm (set)	1 215 €	1 560 €	1 905 €
Stone protection plate (set)	415 €	670 €	805 €
Tubular roller d=540 mm	1 310 €	1 450 €	1 570 €
Tubular roller d=620 mm	1 465 €	1 625 €	1 850 €
T-ring roller d=600 mm	2 105 €	2 435 €	2 745 €
V-ring roller d=600 mm	1 885 €	2 175 €	2 445 €
V-ring roller with paddles d=600 mm	2 000 €	2 305 €	2 590 €
C-ring roller d=600 mm	2 245 €	2 595 €	2 935 €
Spring roller d=560 mm	4 030 €	4 745 €	5 445 €
Packer roller d=600 mm	2 500 €	2 885 €	3 255 €
Tine cultivator behind roller (BPZW)	985 €	1 110 €	1 235 €
LED lights		635 €	

Heavy Duty „HD“ version of V-ring/T-ring/C-ring rollers available for an additional surcharge of 12% (does not apply to C-ring TANDEM HD included in the price list)

Attention! The basic price does not include the roller. Option prices do not apply as a spare part prices. Possible surcharge for packaging.

Option descriptions & pictures - page 116-125
Detailed information about the options and their application can be found at www.mandam.com.pl



GAL-C



GAL-C 4,0 H



GAL-C





#	GAL-C									
		M		PC	MM	MM	HP	KG	PRICE	
2670	GAL-C 2,5	2,50	-	rubber	20	900	d=560	80	1208	10 870 €
2600	GAL-C 3,0	3,00	-	rubber	24	900	d=560	100	1314	11 995 €
2635	GAL-C 3,5	3,50	-	rubber	28	900	d=560	120	1495	13 045 €
2605	GAL-C 4,0	4,00	-	rubber	32	900	d=560	140	1849	16 475 €
2610	GAL-C 4,0 H	4,00	+	rubber	32	1000	d=560	160	2215	21 320 €
2615	GAL-C 4,5 H	4,50	+	rubber	36	1000	d=560	170	2395	22 410 €
2620	GAL-C 5,0 H	5,00	+	rubber	40	1000	d=560	180	2586	23 525 €
2630	GAL-C 6,0 H	6,00	+	rubber	48	1000	d=560	200	2923	27 455 €

OPTIONAL EQUIPMENT (SURCHARGE)	2,50	3,00	3,50	4,00	4,0 H	4,5 H	5,0 H	6,0 H	
Transport chassis	4 765 €								
Bolted disc hubs (set)	1 125 €	1 350 €	1 575 €	1 805 €	2 030 €	2 255 €	2 705 €	2 705 €	
Disc d=610/5 mm (set)	595 €	725 €	855 €	990 €	1 120 €	1 255 €	1 520 €	1 520 €	
Thick Disc d=610/6 mm (set)	640 €	770 €	900 €	1 025 €	1 155 €	1 280 €	1 540 €	1 540 €	
Shallow Disc d=560/5 mm (set)	290 €	345 €	405 €	460 €	520 €	575 €	695 €	695 €	
Shallow Disc d=610/5 mm (set)	520 €	625 €	730 €	870 €	940 €	1 040 €	1 250 €	1 250 €	
RZ disc d=560/5 mm (set)	1 560 €	1 905 €	2 255 €	2 600 €	2 945 €	3 290 €	3 985 €	3 985 €	
RZ disc d=610/5 mm (set)	1 660 €	2 030 €	2 400 €	2 770 €	3 135 €	3 505 €	4 245 €	4 245 €	
Stone protection plate (set)	670 €	805 €	940 €	1 070 €	1 205 €	1 340 €	1 605 €	1 605 €	
Tubular roller d=540 mm	1 450 €	1 570 €	1 655 €	2 620 €	2 620 €	2 905 €	3 135 €	3 135 €	
Tubular roller d=620 mm	1 625 €	1 850 €	1 910 €	2 935 €	3 010 €	3 255 €	3 710 €	3 710 €	
T-ring roller d=600 mm	2 435 €	2 745 €	3 205 €	3 910 €	4 540 €	4 870 €	5 495 €	5 495 €	
V-ring roller d=600 mm	2 175 €	2 445 €	2 850 €	3 510 €	4 060 €	4 340 €	4 885 €	4 885 €	
V-ring roller with paddles d=600 mm	2 305 €	2 590 €	2 875 €	3 730 €	4 305 €	4 610 €	5 180 €	5 180 €	
C-ring roller d=600 mm	2 595 €	2 935 €	3 430 €	4 175 €	4 840 €	5 190 €	5 865 €	5 865 €	
C-ring Tandem roller d=600 mm	3 105 €	3 510 €	4 100 €	5 010 €	5 790 €	6 210 €	7 015 €	7 015 €	
C-ring Tandem HD roller d=600 mm	3 340 €	3 855 €	4 500 €	5 425 €	6 100 €	6 685 €	7 710 €	7 710 €	
Spring roller d=560 mm	4 745 €	5 445 €	6 345 €	8 055 €	8 410 €	9 485 €	10 895 €	10 895 €	
Packer roller d=600 mm	2 885 €	3 255 €	3 795 €	5 000 €	5 195 €	5 775 €	6 510 €	6 510 €	
Rubber roller d=500 mm	5 485 €	6 240 €	7 280 €	9 405 €	9 795 €	10 970 €	12 480 €	12 480 €	
Disc roller d=600 mm	4 560 €	5 405 €	6 305 €	8 095 €	8 435 €	9 455 €	10 810 €	10 810 €	
Tine cultivator in front of roller (BPPW)	925 €	1 025 €	1 110 €	1 655 €	1 755 €	1 850 €	2 050 €	2 050 €	
Tine cultivator behind roller (BPZW)	1 110 €	1 235 €	1 365 €	1 970 €	2 095 €	2 225 €	2 475 €	2 475 €	
Middle solid screen (ES)	265 €	290 €	385 €	480 €	500 €	525 €	575 €	575 €	
Middle tine screen (EA)	500 €	600 €	745 €	835 €	915 €	1 005 €	1 200 €	1 200 €	
Support wheels 10,8/80x12" (set)							2 890 €		
LED lights							915 €		
Hydraulic working depth adjustment (HRGP)	1 280 €				2 905 €				


Heavy Duty „HD“ version of V-ring/T-ring/C-ring rollers available for an additional surcharge of 12% (does not apply to C-ring TANDEM HD included in the price list)

Attention! The basic price does not include the roller. Basic price includes Hydraulic-mechanical transport lockout (HBS). Option prices do not apply as a spare part prices. Possible surcharge for packaging.

Seeders and seeder brackets - page 100
 Option descriptions & pictures - page 116-125
 Detailed information about the options and their application can be found at www.mandam.com.pl



GAL-S





#	GAL-S									
		M			PC	MM	MM	HP	KG	PRICE
5405	GAL-S 3,0	3,00	-	rubber	24	750	560*	140	1500	15 160 €

* Shallow Disc d=560/5 mm (standard)

OPTIONAL EQUIPLENT (SURCHARGE)		3,00
RZ disc d=560/5 mm (set)		1 905 €
Bolted disc hubs (set)		1 350 €
Stone protection plate (set)		805 €
Tubular roller d=540 mm		1 570 €
Tubular roller d=620 mm		1 850 €
T-ring roller d=600 mm		2 745 €
V-ring roller d=600 mm		2 445 €
V-ring roller with paddles d=600 mm		2 590 €
C-ring roller d=600 mm		2 935 €
Spring roller d=560 mm		5 445 €
Packer roller d=600 mm		3 255 €
Rubber roller d=500 mm		6 240 €
LED lights		635 €

Heavy Duty „HD” version of V-ring/T-ring/C-ring rollers available for an additional surcharge of 12% (does not apply to C-ring TANDEM HD included in the price list)
 Seeder lift load capacity 1300 kg

Attention! The basic price does not include the roller. Option prices do not apply as a spare part prices. Possible surcharge for packaging.



GAL-M



GAL-M 3,0



#	GAL-M									
		M		PC	MM	MM	HP	KG	PRICE	
7100	GAL-M 3,0	3,00	-	rubber	16/24*	900	d=560		1095	11 505 €
7105	GAL-M 4,0 H	4,00	+	rubber	24/32*	1000	d=560		2230	20 540 €
7110	GAL-M 5,0 H	5,00	+	rubber	28/40*	1000	d=560		2450	22 250 €
7115	GAL-M 6,0 H	6,00	+	rubber	32/48*	1000	d=560		2660	23 960 €

*standard no.of discs/optional no.of discs

OPTIONAL EQUIPLENT (SURCHARGE)	3,0/16	3,0/24	4,0H/24	4,0H/32	5,0H/28	5,0H/40	6,0H/32	6,0H/48
Bolted disc hubs (set)	900 €	900 €	1 350 €	1 350 €	1 575 €	1 575 €	1 805 €	1 805 €
RZ disc d=560/5 mm (set)	1 905 €	1 905 €	2 600 €	2 600 €	3 290 €	3 290 €	3 985 €	3 985 €
Optional no.of discs (discs spacing reduced to 250 mm)		2 080 €		2 080 €		3 125 €		4 165 €
Distributor VOGELSANG (Dosimat DMX12 DN50)	5 370 €							
Distributor VOGELSANG (Dosimat DMX24 DN50)	7 290 €							
Hose diameterd= 50mm	435 €	370 €	455 €	1 085 €	1 105 €	985 €	1 085 €	905 €
Tubular roller d=540 mm	1 570 €	1 570 €	2 620 €	2 620 €	2 905 €	2 905 €	3 135 €	3 135 €
Tubular roller d=620 mm	1 850 €	1 850 €	2 935 €	2 935 €	3 255 €	3 255 €	3 710 €	3 710 €
T-ring roller d=600 mm	2 745 €	2 745 €	3 910 €	3 910 €	4 870 €	4 870 €	5 495 €	5 495 €
V-ring roller d=600 mm	2 445 €	2 445 €	3 510 €	3 510 €	4 340 €	4 340 €	4 885 €	4 885 €
V-ring roller with paddles d=600 mm	2 590 €	2 590 €	3 730 €	3 730 €	4 610 €	4 610 €	5 180 €	5 180 €
C-ring roller d=600 mm	2 935 €	2 935 €	4 175 €	4 175 €	5 190 €	5 190 €	5 865 €	5 865 €
Spring roller d=560 mm	5 445 €	5 445 €	8 055 €	8 055 €	9 485 €	9 485 €	10 895 €	10 895 €
Packer roller d=600 mm	3 255 €	3 255 €	5 000 €	5 000 €	5 775 €	5 775 €	6 510 €	6 510 €
Rubber roller d=500 mm	6 240 €	6 240 €	9 405 €	9 405 €	10 970 €	10 970 €	12 480 €	12 480 €
Disc roller d=600 mm	5 405 €	5 405 €	8 095 €	8 095 €	9 455 €	9 455 €	10 810 €	10 810 €
LED lights	635 €			915 €				

Heavy Duty „HD” version of V-ring/T-ring/C-ring rollers available for an additional surcharge of 12% (does not apply to C-ring TANDEM HD included in the price list)





Attention! The basic price does not include the roller. Option prices do not apply as a spare part prices. Possible surcharge for packaging.

Option descriptions & pictures - page 116-125
Detailed information about the options and their application can be found at www.mandam.com.pl



GAL-K





GAL-K



GAL-K 10,0 H



#	GAL-K	M			PC	MM	MM	HP	KG	PRICE
5110	GAL-K 4,0 H	4,00	+	rubber	32	1000	d=560	150	3508	34 875 €
5115	GAL-K 5,0 H	5,00	+	rubber	40	1000	d=560	180	3963	37 595 €
5100	GAL-K 6,0 H	6,00	+	rubber	48	1000	d=560	200	4461	42 045 €
5105	GAL-K 8,0 H	8,00	+	rubber	64	900	d=560	220	5576	74 670 €
5120	GAL-K 10 ,0H	10,00	+	rubber	80	900	d=560	380	8500	80 180 €
5125	GAL-K 12,0 H	12,00	+	rubber	96	900	d=560	420	9200	85 695 €
OPTIONAL EQUIPLENT (SURCHARGE)					4,0 H	5,0 H	6,0 H	8,0 H	10,0 H	12,0 H
Bolted disc hubs (set)					1 805 €	2 255 €	2 705 €	3 605 €	4 505 €	5 410 €
Disc d= 610/5 mm (set)					990 €	1 255 €	1 520 €	2 045 €	2 510 €	3 035 €
Thick Disc d=610/6 mm (set)					1 025 €	1 280 €	1 540 €	2 055 €	2 565 €	3 075 €
Shallow Disc d=560/5 mm (set)					460 €	575 €	695 €	925 €	1 155 €	1 385 €
Shallow Disc d=610/5 mm (set)					870 €	1 040 €	1 250 €	1 740 €	2 085 €	2 505 €
RZ disc d=560/5 mm (set)					2 600 €	3 290 €	3 985 €	5 370 €	6 755 €	8 145 €
RZ disc d=610/5 mm (set)					2 770 €	3 505 €	4 245 €	5 720 €	7 195 €	8 675 €
Stone protection plate (set)					1 070 €	1 340 €	1 605 €	2 145 €	2 675 €	3 210 €
Tubular roller d=540 mm					2 620 €	2 905 €	3 135 €	5 235 €	5 805 €	6 275 €
Tubular roller d=620 mm					2 935 €	3 255 €	3 710 €	5 865 €	6 505 €	7 415 €
T-ring roller d=600 mm					3 910 €	4 870 €	5 495 €	7 820 €	9 735 €	10 985 €
V-ring roller d=600 mm					3 510 €	4 340 €	4 885 €	7 025 €	8 685 €	9 775 €
V-ring roller with paddles d=600 mm					3 730 €	4 610 €	5 180 €	7 460 €	9 220 €	10 365 €
C-ring roller d=600 mm					4 175 €	5 190 €	5 865 €	8 355 €	10 385 €	11 730 €
C-ring Tandem roller d=600 mm					5 010 €	6 210 €	7 015 €	10 020 €	12 415 €	14 030 €
C-ring Tandem HD roller d=600 mm					5 425 €	6 685 €	7 710 €	10 845 €	13 365 €	15 425 €
Spring roller d=560 mm					8 055 €	9 485 €	10 895 €	16 110 €	18 970 €	21 785 €
Packer roller d=600 mm					5 000 €	5 775 €	6 510 €	10 000 €	11 550 €	13 020 €
Rubber roller d=500 mm					9 405 €	10 970 €	12 480 €	18 810 €	21 935 €	24 965 €
Disc roller d=600 mm					8 095 €	9 455 €	10 810 €	16 185 €	18 910 €	21 620 €
Tine cultivator behind roller (BPZW)					1 970 €	2 225 €	2 475 €	3 935 €	4 445 €	4 945 €
Middle solid screen (ES)					480 €	525 €	575 €	955 €	1 055 €	1 155 €
Middle tine screen (EA)					835 €	1 005 €	1 200 €	1 660 €	2 010 €	2 400 €
Support wheels 10,8/80x12" (set)						2 890 €				
Wheels 620/40-22,5"						2 700 €				standard
Mudguards (set)						255 €				
Ball hitch K80						860 €				
Hydraulic box with a switch control module								1 230 €		
Hitch damping kit						800 €				
LED lights						1 040 €				standard
EU road homologation (BTH) kit						6 610 €				
Pneumatic brakes						2 535 €				standard
Hydraulic brakes						2 890 €				350 €
Cultivator SKAN					5 865 €	6 495 €	6 715 €			
Hydraulic adjustment SKAN						1 475 €				

Heavy Duty „HD“ version of V-ring/T-ring/C-ring rollers available for an additional surcharge of 12% (does not apply to C-ring TANDEM HD included in the price list)

Attention! 8-10-12m machines with C-ring Tandem roller and Tine cultivator behind (BPZW) exceed 4 m transport height!

The basic price does not include the roller. Attention! The basic price does not include the roller. Basic price includes Hydraulic-mechanical transport lockout (HBS). Option prices do not apply as a spare part prices. Possible surcharge for packaging.


Seeders and seeder brackets - page 100

Option descriptions & pictures - page 116-125

Detailed information about the options and their application can be found at www.mandam.com.pl



GAL-K HD



REAR AXLE SUSPENSION


QUAD HYDRAULIC PISTON FOLDING SYSTEM

CULTIVATOR SKAN (OPTION)

REINFORCED FRAME

C-RING TANDEM HD ROLLER D=600 MM (OPTION)

GAL-K 6,0 H HD







Attention! The basic price does not include the roller. Basic price includes Hydraulic-mechanical transport lockout (HBS). Option prices do not apply as a spare part prices. Possible surcharge for packaging.

#	GAL-K HD	M			PC	MM	MM	HP	KG	PRICE
5200	GAL-K 4,0 H HD	4,00	+	rubber	32	1000	d=560	160	3655	38 210 €
5205	GAL-K 5,0 H HD	5,00	+	rubber	40	1000	d=560	180	4000	41 115 €
5210	GAL-K 6,0 H HD	6,00	+	rubber	48	1000	d=560	200	4400	44 015 €

OPTIONAL EQUIPLENT (SURCHARGE)	4,0 H	5,0 H	6,0 H
Bolted disc hubs (set)	1 805 €	2 255 €	2 705 €
Disc d=610/5 mm (set)	990 €	1 255 €	1 520 €
Thick Disc d=610/6 mm (set)	1 025 €	1 280 €	1 540 €
Shallow Disc d=560/5 mm (set)	460 €	575 €	695 €
Shallow Disc d=610/5 mm (set)	870 €	1 040 €	1 250 €
RZ disc d=560/5 mm (set)	2 600 €	3 290 €	3 985 €
RZ disc d=610/5 mm (set)	2 770 €	3 505 €	4 245 €
Stone protection plate (set)	1 070 €	1 340 €	1 605 €
Tubular roller d=540 mm	2 620 €	2 905 €	3 135 €
Tubular roller d=620 mm	2 935 €	3 255 €	3 710 €
T-ring roller d=600 mm	3 910 €	4 870 €	5 495 €
V-ring roller d=600 mm	3 510 €	4 340 €	4 885 €
V-ring roller with paddles d=600 mm	3 730 €	4 610 €	5 180 €
C-ring roller d=600 mm	4 175 €	5 190 €	5 865 €
C-ring Tandem roller d=600 mm	5 010 €	6 210 €	7 015 €
C-ring Tandem HD roller d=600 mm	5 425 €	6 685 €	7 710 €
Spring roller d=560 mm	8 055 €	9 485 €	10 895 €
Packer roller d=600 mm	5 000 €	5 775 €	6 510 €
Rubber roller d=500 mm	9 405 €	10 970 €	12 480 €
Disc roller d=600 mm	8 095 €	9 455 €	10 810 €
Tine cultivator behind roller (BPZW)	1 970 €	2 225 €	2 475 €
Middle solid screen (ES)	480 €	525 €	575 €
Middle tine screen (EA)	835 €	1 005 €	1 200 €
Support wheels 10,8/80x12" (set)		2 890 €	
Wheels 620/400-22.5" (set)		2 700 €	
Mudguards (set)		255 €	
Ball hitch K80		860 €	
Hydraulic box with a switch control module		1 230 €	
Hitch damping kit		800 €	
LED lights		1 040 €	
EU road homologation (BTH) kit		6 610 €	
Pneumatic brakes		2 535 €	
Hydraulic brakes		2 890 €	
Cultivator SKAN	5 865 €	6 495 €	6 715 €
Hydraulic adjustment SKAN		1 475 €	

Heavy Duty „HD“ version of V-ring/T-ring/C-ring rollers available for an additional surcharge of 12% (does not apply to C-ring TANDEM HD included in the price list)

Seeders and seeder brackets - page 100

Option descriptions & pictures - page 116-125

Detailed information about the options and their application can be found at www.mandam.com.pl



GAL-K XL

TRANSPORT CHASSIS WITH AXLE SUSPENSION AND BRAKES

MIDDLE FRAME MADE OF PROFILE 150X100X10

WHEELS 620/40 R 22,5

ROLLERS ON INDIVIDUAL FRAME, WITH INDEPENDENT FOLDING MECHANISM

C-RING TANDEM ROLLER HD D=600 MM

TWO HYDRAULIC CYLINDERS FOR EACH WING FRAME

PROFIL 80X80X8

REINFORCED FRAME

GAL-K XL 7,5 H



GAL-K XL



66 DISC HARROW GAL-K XL




#	GAL-K XL	M			PC	MM	MM	HP	KG	PRICE
5220	GAL-K XL 5,0 H	5,00	+	rubber	40	1000	d=560	180	4100	42 970 €
5225	GAL-K XL 6,0 H	6,00	+	rubber	48	1000	d=560	220	4600	48 610 €
5230	GAL-K XL 7,5 H	7,50	+	rubber	60	1000	d=560	260	6500	56 620 €


OPCJE DODATKOWE (ZA DOPŁATĄ, NETTO)	5,0H	6,0H	7,5H
Bolted disc hubs (set)	2 255 €	2 705 €	3 380 €
Disc d=610/5 mm (set)	1 255 €	1 520 €	1 915 €
Thick disc d=610/6 mm (set)	1 280 €	1 540 €	1 940 €
Shallow disc d=560/5mm (set)	575 €	695 €	875 €
Shallow disc d=610/5 mm (set)	1 040 €	1 250 €	1 585 €
RZ disc d=560/5 mm (set)	3 290 €	3 985 €	5 025 €
RZ disc d=610/5 mm (set)	3 505 €	4 245 €	5 350 €
Stone protection plate (set)	1 340 €	1 605 €	2 005 €
Tubular roller d=540 mm	2 760 €	3 310 €	4 135 €
Tubular roller d=620 mm	3 160 €	3 795 €	4 745 €
T-ring roller d=600 mm	4 780 €	5 740 €	7 175 €
V-ring roller d=600 mm	4 345 €	5 215 €	6 520 €
V-ring roller with paddles d=600 mm	4 665 €	5 600 €	7 000 €
C-ring roller d=600 mm	5 165 €	6 200 €	7 750 €
C-ring tandem roller d=600 mm	5 955 €	7 145 €	8 935 €
C-ring tandem HD roller d=600 mm	7 955 €	9 545 €	11 935 €
Spring roller d=560 mm	9 970 €	11 960 €	14 950 €
Packer roller d=600 mm	6 260 €	7 510 €	9 385 €
Rubber roller d=500 mm	9 625 €	11 555 €	14 440 €
Disc roller d=600 mm	9 660 €	11 590 €	14 490 €
Tine cultivator behind roller (BPZW)	2 100 €	2 510 €	3 370 €
Middle solid screen (ES)	490 €	585 €	795 €
Middle tine screen (EA)	1 020 €	1 215 €	1 565 €
Support wheels 10,8/80x12" (set)		2 890 €	
Mudguards (set)		255 €	
Ball hitch K80		860 €	
Hydraulic box with a switch control module		1 230 €	
Hitch damping kit		800 €	
LED lights		1 040 €	
EU road homologation (BTH) kit		3 720 €	
Cultivator SKAN	5 900 €	6 940 €	8 230 €
Hydraulic adjustment SKAN		1 475 €	

Attention! The basic price does not include the roller. Basic price includes Hydraulic-mechanical transport lockout (HBS). Option prices do not apply as a spare part prices. Possible surcharge for packaging.

Heavy Duty „HD” version of V-ring/T-ring/C-ring rollers available for an additional surcharge of 12% (does not apply to C-ring TANDEM HD included in the price list)

Seeders and seeder brackets - page 100
 Option descriptions & pictures - page 116-125
 Detailed information about the options and their application can be found at www.mandam.com.pl







SAL



SAL-K 6,0 H



#	SAL	M								
					PC	MM	MM	HP	KG	PRICE
7500	SAL 3,0	3,00	-	+	24	1190	d=610	130	1840	23 545 €
7510	SAL-K 4,0 H*	4,00	+	+	32	1190	d=610	160	4200	56 385 €
7520	SAL-K 5,0 H*	5,00	+	+	40	1190	d=610	180	5000	60 575 €
7530	SAL-K 6,0 H*	6,00	+	+	48	1190	d=610	200	5950	67 980 €

* machine with an integrated transport chassis

OPTIONAL EQUIPLENT (SURCHARGE)	3,00	4,00	5,00	6,00
Tubular roller d=540 mm	1 570 €	2 900 €	3 380 €	3 585 €
Tubular roller d=620 mm	1 850 €	3 295 €	3 790 €	4 185 €
T-ring roller d=600 mm	2 745 €	3 830 €	5 085 €	5 740 €
V-ring roller d=600 mm	2 445 €	3 550 €	4 595 €	5 145 €
V-ring roller with paddles d=600 mm	2 590 €	3 740 €	4 835 €	5 445 €
C-ring roller d=600 mm	2 935 €	4 070 €	5 410 €	6 120 €
C-ring Tandem roller d=600 mm	3 510 €	4 895 €	6 480 €	7 335 €
C-ring Tandem HD roller d=600 mm	3 855 €	5 600 €	6 850 €	7 850 €
Spring roller d=560 mm	5 445 €	7 400 €	9 585 €	11 005 €
Packer roller d=600 mm	3 255 €	4 765 €	6 075 €	6 850 €
Rubber roller d=600 mm	6 240 €	8 760 €	11 275 €	12 835 €
Disc roller d=600 mm	5 405 €	7 490 €	9 645 €	11 030 €
Tine cultivator in front of roller (BPPW)	1 025 €	1 945 €	2 255 €	2 460 €
Tine cultivator behind roller (BPZW)	1 235 €	2 215 €	2 625 €	2 895 €
Support wheels 10,8/80x12" (set)			2 890 €	
Mudguards (set)			255 €	
Ball hitch K80			860 €	
Hitch damping kit			800 €	
EU road homologation (BTH) kit			6 610 €	
LED lights			635 €	
Hydraulic working depth adjustment (HRGP)	1 280 €		standard	

Heavy Duty „HD“ version of V-ring/T-ring/C-ring rollers available for an additional surcharge of 12% (does not apply to C-ring TANDEM HD included in the price list)

Attention! The basic price does not include the roller. Basic price includes Hydraulic-mechanical transport lockout (HBS). Option prices do not apply as a spare part prices. Possible surcharge for packaging.

Option descriptions & pictures - page 116-125
Detailed information about the options and their application can be found at www.mandam.com.pl



STANDARD

SPECIAL

UNIVERSAL FRONT & REAR TRACTOR
COUPLING - 3-POINT HITCH (WN 3,0-4,0)

HEAT TREATED KNIVES

WN 3,0



#	WN							
		M		PC	MM	HP	KG	PRICE
5800	WN 3,0	3,00	-	6	d=380	30	525	5 420 €
5825	WN 3,5	3,50	-	6	d=380	35	644	6 325 €
5805	WN 4,0	4,00	-	6	d=380	40	920	8 820 €
5810	WN 4,0 H	4,00	+	6	d=380	40	940	10 000 €
5815	WN 5,0 H	5,00	+	6	d=380	50	1085	11 255 €
5820	WN 6,0 H	6,00	+	6	d=380	60	1140	13 230 €

WN 3,0 m – 4,0 m

WN 4,0 m H – 6,0 m H



#	WN TANDEM							
		M		PC	MM	HP	KG	PRICE
6700	WN Tandem 3,0	3,00	-	8+7	d=460	60	875	8 230 €
6725	WN Tandem 3,5	3,50	-	8+7	d=460	65	935	9 605 €
6705	WN Tandem 4,0	4,00	-	8+7	d=460	80	1105	11 055 €
6710	WN Tandem 4,0 H	4,00	+	8+7	d=460	80	1420	13 275 €
6715	WN Tandem 5,0 H	5,00	+	8+7	d=460	100	1605	15 380 €
6720	WN Tandem 6,0 H	6,00	+	8+7	d=460	120	1815	17 510 €

* At the time of ordering customer must declare what type of hitch (front or rear) shall be installed

WN TANDEM 3,0 – 6,0 m H



OPTIONAL EQUIPLENT (SURCHARGE)	3,00	3,50	4,00	5,00	6,00
Top stone cover plates (WN TANDEM)	675 €	785 €	815 €	1 020 €	1 210 €
Special heat treated knives (set) WN	575 €	655 €	765 €	960 €	1 150 €
Special heat treated knives (set) WN TANDEM	1 425 €	1 675 €	1 915 €	2 395 €	2 875 €
LED lights				635 €	

Attention! When working with the knife roller, it is recommended to drive the field diagonally.


Attention! Option prices do not apply as a spare part prices. Possible surcharge for packaging.




INCREASED NUMBER OF KNIVES

TOP STONE COVER PLATE

DIAGONAL KNIVES



WN TANDEM HD 6,0 H



#	WN TANDEM HD							
		M		PC	MM	HP	KG	PRICE
6750	WN Tandem HD 3,0	3,00	-	8+7	d=560	60	1020	14 050 €
6755	WN Tandem HD 3,5	3,50	-	8+7	d=560	65	1260	14 880 €
6760	WN Tandem HD 4,0	4,00	-	8+7	d=560	80	1330	18 195 €
6765	WN Tandem HD 4,0 H	4,00	+	8+7	d=560	80	1520	20 540 €
6770	WN Tandem HD 5,0 H	5,00	+	8+7	d=560	100	1770	24 535 €
6775	WN Tandem HD 6,0 H	6,00	+	8+7	d=560	120	1980	28 835 €

WN TANDEM 3,0 – 6,0 m H



OPTIONAL EQUIPLENT (SURCHARGE)	3,00	3,50	4,00	5,00	6,00
LED lights			635 €		






76














PLUGHS














FEN 3+1




#	FEN									
		CM		MM	CM	CM	PC	HP	KG	PRICE
4500	FEN 3+	90-135	-	120*120*6	78	85	3	80	867	15 830 €
4505	FEN 3+1	120-180	-	120*120*6	78	85	4	100	1060	17 925 €

#	FEN RESOR									
		CM		MM	CM	CM	PC	HP	KG	PRICE
4515	FEN 3+ RESOR	90-135	resor	120*120*8	78	85	3	90	1100	22 270 €
4520	FEN 3+1 RESOR	120-180	resor	120*120*8	78	85	4	120	1370	27 440 €

OPTIONAL EQUIPLENT (SURCHARGE)

Skimmer	pair	915 €
Memory cylinder	set	725 €
Support wheel 10.0/80-12"	pc	1 500 €
Slated moldboard L=120 cm	pair	685 €
Wheel scraper	pc	45 €
Disc coulter d=500 mm	pair	1 375 €
Share knife	pair	55 €
Trash board	pair	165 €
Moldboard extension	pair	60 €





HYDRAULIC CYLINDER FOR STEPLESS ADJUSTMENT

DISC COULTER (OPTIONAL)

MEMORY CYLINDER (OPTIONAL)

UNDER FRAME CLEARANCE 820 MM

HIGH-GRADE STEEL FRAME

SLATED MOLDBOARD L=120 CM

SUPPORT WHEEL 10.8/80-12" (OPTION)

ORKAN VARIO 4+



#	ORKAN									
		CM	MM	CM	CM	PC	HP	KG	PRICE	
4200	ORKAN 3+	90-150	shear bolt	120*120*8	82	102	3	90	1030	17 410 €
4205	ORKAN 3+1	120-200	shear bolt	120*120*8	82	102	4	110	1200	19 020 €
4210	ORKAN 4+	120-200	shear bolt	140*140*10	82	102	4	110	1568	21 050 €
4215	ORKAN 4+1	150-250	shear bolt	140*140*10	82	102	5	130	1920	23 830 €

#	VARIO									
		CM	MM	CM	CM	PC	HP	KG	PRICE	
4300	ORKAN 3+ VARIO	90-150	shear bolt	120*120*8	82	102	3	90	1470	19 690 €
4305	ORKAN 3+1 VARIO	120-200	shear bolt	120*120*8	82	102	4	110	1670	22 390 €
4310	ORKAN 4+ VARIO	120-200	shear bolt	140*140*10	82	102	4	110	1840	23 725 €
4315	ORKAN 4+1 VARIO	150-250	shear bolt	140*140*10	82	102	5	130	2004	26 880 €

#	RESOR									
		CM	MM	CM	CM	PC	HP	KG	PRICE	
4400	ORKAN 3+ R	90-150	resor	120*120*8	82	102	3	90	1770	21 475 €
4405	ORKAN 3+1 R	120-200	resor	120*120*8	82	102	4	110	1970	25 145 €
4410	ORKAN 4+ R	120-200	resor	140*140*10	82	102	4	110	2015	26 405 €
4415	ORKAN 4+1 R	150-250	resor	140*140*10	82	102	5	130	2316	30 450 €


OPTIONAL EQUIPLENT (SURCHARGE)		
Skimmer	pair	970 €
Memory cylinder	set	760 €
Support wheel 10,0/75-15,3" (option)	pc	1 700 €
Wheel scraper	pc	45 €
Disc coulter d=500 mm	pair	1 455 €
Share knife	pair	60 €
Moldboard L=120 cm	pair	380 €
Slated moldboard L=120 cm	pair	730 €
Trash board	pair	175 €
Moldboard extension	pair	70 €
Support&Transport wheel 10,0/75-15,3" (standard with 4+1 models)	set	2 250 €





PRE SOWING-SOWING






MWC 3,0 D=700



#	MWC								
		M		PC	MM		HP	KG	PRICE
2700	MWC 1,5 d=700	1,50	-	8	d=700	30°	60	750	4 885 €
2705	MWC 2,5 d=700	2,50	-	13	d=700	30°	60	882	5 675 €
2710	MWC 3,0 d=700	3,00	-	15	d=700	30°	60	1006	6 645 €
2750	MWC 4,0 H d=700	4,00	+	24	d=700	30°	80	1710	13 070 €
2755	MWC 6,0 H d=700	6,00	+	35	d=700	30°	120	2460	20 700 €
2730	MWC 1,5 d=900	1,50	-	8	d=900	30°	60	1000	6 730 €
2735	MWC 2,5 d=900	2,50	-	13	d=900	30°	70	1350	8 780 €
2740	MWC 3,0 d=900	3,00	-	15	d=900	30°	70	1575	9 225 €
2745	MWC 4,0 H d=900	4,00	+	21	d=900	30°	85	2562	20 160 €
2770	MWC 6,0 H d=900	6,00	+	29	d=900	30°	140	3250	25 300 €

OPTIONAL EQUIPLENT (SURCHARGE)	1,5	2,5	3,0	4,0	6,0
Spring tine cultivator	1 135 €	1 885 €	2 265 €	3 020 €	4 535 €
Knife cultivator d= 700 mm (MWW)	1 240 €	1 745 €	2 030 €	3 185 €	4 655 €
Knife cultivator d=900 mm (MWW)	1 380 €	1 845 €	2 080 €	3 320 €	4 745 €
LED lights			635 €		





HYDRAULIC CULTIVATOR
ADJUSTMENT (MCW)(OPTION)

TRANSPORT WHEELS 10,5/80-15,3"

SPRING CULTIVATOR (MCW ONLY)

MCW 6,2 H D=525















#	MCB							
		M		PC	MM	HP	KG	PRICE
2800	MCB 2,5 d=525	2,50	-	43	d=525	45	980	5 460 €
2805	MCB 3,0 d=525	3,00	-	51	d=525	60	1160	6 350 €
2825	MCB 4,5 H d=525	4,50	+	85	d=525	80	2272	13 050 €
2810	MCB 6,2 H d=525	6,20	+	123	d=525	120	2970	17 985 €
2820	MCB 8,0 H d=525	8,00	+	151	d=525	160	3825	23 210 €
2835	MCB 12,3 H d=525	12,30	+	247	d=525	180	7140	45 920 €

OPTIONAL EQUIPLENT (SURCHARGE)	2,50	3,00	4,50	6,20	8,00	12,3
Rear tractor hitch adapter (MCW)	2 350 €					
EU road homologation kit				6 610 €		
SKAN spring cultivator	2 690 €	3 215 €	4 330 €	5 960 €	7 690 €	
Hydraulic cultivator adjustment SKAN	2 880 €			4 795 €		
Pneumatic brakes (foldable machines)					2 340 €	standard
LED lights				635 €		

MCB Cambridge rollers with road homologation available with D40 or K80 couplings only







#	MCB SWING							
		M		PC	MM	HP	KG	PRICE
2845	MCB SWING 4,5 H ø 525 mm	4,50	+	85	d=525	80	2600	15 615 €
2850	MCB SWING 6,2 H ø 525 mm	6,20	+	123	d=525	120	3420	21 525 €
2855	MCB SWING 8,0 H ø 525 mm	8,00	+	151	d=525	160	4390	27 770 €

OPTIONAL EQUIPLENT (SURCHARGE)		4,50	6,20	8,00
Rear tractor hitch adapter (MCW)				
EU road homologation kit			6 610 €	
SKAN spring cultivator	4 330 €		5 960 €	7 690 €
Hydraulic cultivator adjustment SKAN			4 795 €	
Pneumatic brakes (foldable machines)			2 340 €	
LED lights			635 €	

MCB Cambridge rollers with road homologation available with D40 or K80 couplings only





FLOATING HITCH SPRING STABILIZERS

STEEL-TEFLON SLIDE ROLLERS

CULTIVATOR SKAN WITH HYDRAULIC ADJUSTMENT (OPTION)

TWO BANKS OF AGGRESSIVE IRON CAST D=550 MM WHEELS

STAR TANDEM 3,0




#	STAR							
		M		PC	MM	HP	KG	PRICE
4500	STAR 3,0	3,00	-	24	d=550	40	904	8 090 €
4505	STAR 4,0 H	4,00	+	32	d=550	70	2010	12 120 €

#	STAR TANDEM							
		M		PC	MM	HP	KG	PRICE
4600	STAR Tandem 3,0	3,00	-	33	d=550	50	1138	9 660 €
4605	STAR Tandem 4,0 H	4,00	+	45	d=550	90	2500	14 675 €

OPTIONAL EQUIPLENT (SURCHARGE)		3,00	4,0 H
Spring tine cultivator*		2 265 €	3 020 €
SKAN cultivator		3 120 €	5 800 €
LED lights		635 €	

*front tractor hitch only





ROLLER PRESSURE ADJUSTMENT

ADJUSTABLE SUPPORT WHEELS

STRING TANDEM ROLLER D=300 MM WITH AN OPTIONAL TINE CULTIVATOR

FIVE BANKS OF STRAIGHT 32X10 MM TINES

CULTIVATOR SKAN WITH HYDRAULIC ADJUSTMENT (OPTION)



#	BEST					
		M	PC	HP	KG	PRICE
7205	BEST 4,0 H	4,00	+	50	80	14 570 €
7215	BEST 6,0 H	6,00	+	73	110	17 240 €

OPTIONAL EQUIPMENT (SURCHARGE)	4,0 H	6,0 H
Track eradicator (set)*	555 €	
Front levelling board	1 455 €	1 520 €
Cultivator SKAN with hydraulic adjustment	3 990 €	4 780 €
"S" tine 32x12 mm (set)	no surcharge	
Tine 45x12 (set)	970 €	1 415 €
String tandem roller d=300 mm	4 710 €	6 255 €
String tandem roller d=300 mm with tine cultivator in front	4 950 €	6 040 €
String tandem roller d=300 mm with tine cultivator behind	6 655 €	7 380 €
LED lights	750 €	

* excludes SKAN cultivator


STRAIGHT TINE 32X10 MM
(STANDARD)



„S” TINE 32X12 MM



STRAIGHT TINE 45X12



BEST



3 BANKS OF 32X10 MM SPRING TINES WITH STRAIGHT POINTS OR 180 MM SWEEPS

STRING ROLLER D=300 MM

STRING ROLLER D=355 MM

TERRAIN COPYING SECTIONS

IRON CAST ROLLER D=400 MM

FLEX 4,0 H



FLEX





#	FLEX					
		M	PC	HP	KG	PRICE
5005	FLEX 3,0	3,00	-	24/16	110	11 765 €
5000	FLEX 4,0 H	4,00	+	32/23	140	18 890 €
5010	FLEX 5,0 H	5,00	+	40/28	180	23 335 €
5015	FLEX 6,0 H	6,00	+	46/31	210	27 260 €

#	FLEX K					
		M	PC	HP	KG	PRICE
5030	Flex K 4,0H	4,00	+	32/23	180	31 945 €
5035	Flex K 5,0H	5,00	+	40/28	240	34 740 €
5040	Flex K 6,0H	6,00	+	46/31	280	37 595 €

OPTIONAL EQUIPLENT (SURCHARGE)	
Tines with straight points or 180mm sweeps	no surcharge
LED lights	750 €



Attention! The basic price does not include the roller. Basic price includes Hydraulic-mechanical transport lockout (HBS). Option prices do not apply as a spare part prices. Possible surcharge for packaging.

Seeders and seeder brackets - page 100
 Option descriptions & pictures - page 116-125
 Detailed information about the options and their application can be found at www.mandam.com.pl

SEEDERS



100SEEDERS



#	DELIMBE						
		M	L	KG/HA	V	KG	PRICE
4150	SP 5	2-5	120	300	12	34	2 665 €

#	APV							
		M	L	PC	V		KG	PRICE*
4155	ES 100 M1 CLASSIC	2-24	105	-	12	-	30	2 630 €
4160	PS 120 M1 (elekt)	1-6	120	8	12	+	45	4 850 €
4165	PS 200 M1 (elekt)	1-6	200	8	12	+	60	5 495 €
4180	PS 200 M1 (hydr)	1-6	200	8	12	+	83	9 855 €
4170	PS 300 M1 (elekt)	1-6	300	8	12	+	70	6 580 €
4185	PS 300 M1 (hydr)	1-6	300	8	12	+	93	10 950 €
4175	PS 500 M1 (elekt)	1-6	500	8	12	+	93	8 800 €
4190	PS 500 M1 (hydr)	1-6	500	8	12	+	123	12 910 €
4195	MDP 100 (elekt)	1-4,5	105	6	12	+	30	3 560 €

*control box not included in seeder price

APV ES SEEDER MOUNTS	(SEEDER MOUNT) PRICE
HYBRO 3.0, 4.0, 5.0, 6.0, 8.0, /KUS/SPEC HD/TOP/GAL-K/SAL	85 €
MBS 6,0H, 7,2H	935 €
GAL-C H/TAL-C H foldable	135 €
GAL-C/TAL-C non-foldable	190 €

SP5 DELIMBE SEEDER MOUNTS	(SEEDER MOUNT) PRICE
TAL-C H foldable	175 €
KUS non-foldable/foldable	260 €
GAL-C/TAL-C non-foldable	260 €
TOP/SPEC HD foldable	260 €
HYBRO 3.0 MCB, 3.0, 4.0, 5.0, 6.0, 8.0	260 €
MBS 6,0H, 7,2H	935 €
GAL-C H/GAL-K foldable	395 €
TOP/SPEC HD non-foldable	490 €

APV OPTIONAL EQUIPMENT (SURCHARGE)	PRICE
Control box 1.2 (for PS & MDP models)	1 080 €
Control box 5.2 (requires additional sensor kit, for PS & MDP models)	1 960 €
Precision dispersion plate 1-4m working width (ES models)	370 €
Sensor kit "Z" (lifting unit sensor + wheel speed sensor + splitter)	905 €
Sensor kit "K" for trailed machines (lifting unit sensor + wheel speed sensor + splitter + extension cord)	1 300 €
Sensor kit "K7" for trailed machines (lifting unit sensor + 7-pin signal cable + splitter + extension cord)	1 150 €
7-pin signal cable (position + speed)*	325 €
MT2 carrier	8 130 €

APV PS	(SEEDER MOUNT) PRICE	(SEEDER PLATFORM) PRICE**
HYBRO 3.0, 4.0, 5.0, 6.0, 8.0	215 €	900 €
HYBRO 3.0 m with MCB roller	215 €	1 250 €
MBS 6,0H, 7,2H	935 €	
GAL-C/TAL-C/KUS/TOP/SPEC HD non-foldable	445 €	
GAL-K/TAL-K	490 €	1 470 €
KUS H/SPEC HD/TOP H foldable	490 €	
GAL-C H/TAL-C H foldable	550 €	1 470 €


** platform has an integrated seeder mount





GRASSLAND & IMPLEMENTS





STAR WHEELS D=540MM WITH SPRING PRESSURE

PROTECTION SCREEN (OPTION)

HYDRAULIC FOLDING

ADJUSTABLE STRUTS

SLEEVED HEADSTOCK

ADJUSTABLE SUPPORTS

EKO-WIR 6,2 H



PROTECTION SCREEN (OPTION)



WHEEL SPRING PRESSURE



TWO ROWS OF STAR WHEELS

#	EKO-WIR							
		M		D	PC	HP	KG	PRICE
1000	EKO-WIR 6,2 H	6,2 H	+	d=540 MM	72	90	1260	20 805 €

OPTIONAL EQUIPMENT (SURCHARGE)	
Stone protection	950 €
Support wheels 18x9,50-84 PR ST 52 (set)	1 415 €
LED lights	635 €

Attention! The basic price does not include the roller. Basic price includes Hydraulic-mechanical transport lockout (HBS). Option prices do not apply as a spare part prices. Possible surcharge for packaging.



CULTIVATOR WORKING DEPTH REAR ADJUSTMENT

SLIDES

DUAL SERVOMOTOR FOLDING

10 MM SPRING TINES

CAST IRON OR DUCTILE IRON (SFERO) STARS

HYBRO 6,0H




#	HYBRO							
		M		PC	PC	HP	KG	PRICE
6315	HYBRO 3,0	3,00	-	26	28	40	610	4 595 €
6315 C	HYBRO 3,0m + MCB	3,00	-	26	28	65	1376	8 815 €
6310	HYBRO 4,0 H	4,00	+	41	41	50	1060	9 125 €
6300	HYBRO 6,0 H	6,00	+	59	61	65	1270	10 785 €
6305	HYBRO 8,0 H	8,00	+	77	80	85	1635	12 445 €

#	HYBRO SFERO							
		M		PC	PC	HP	KG	PRICE
6315 S	HYBRO 3,0 SFERO	3,00	-	26	28	40	610	4 775 €
6315 CS	HYBRO 3,0 SFERO + MCB	3,00	-	26	28	65	1376	9 000 €
6310 S	HYBRO 4,0 H SFERO	4,00	+	41	41	50	1060	9 385 €
6300 S	HYBRO 6,0 H SFERO	6,00	+	59	61	65	1270	11 115 €
6305 S	HYBRO 8,0 H SFERO	8,00	+	77	80	85	1635	12 855 €

OPTIONAL EQUIPMENT (SURCHARGE)	3,00	4,00	5,00	6,00
LED lights			635 €	

Attention! Mechanical lockout included in all foldable machines in basic price.
Option prices do not apply as a spare part prices. Possible surcharge for packaging.

Seeders and seeder brackets - page 100
Option descriptions & pictures - page 116-125
Detailed information about the options and their application can be found at www.mandam.com.pl










ADJUSTABLE TINE ANGLE

SUPPORT WHEELS

SPRING TINE 7 MM

EKO-FINGER 12,0 H



#	EKO-FINGER							
		M		PC	PC	HP	KG	PRICE
2900	EKO-FINGER 6,0 H	6,0H	+	120	+	85	750	9 170 €
2905	EKO-FINGER 8,0 H	8,0H	+	156	+	110	1020	11 610 €
2910	EKO-FINGER 12,0 H	12,0H	+	240	+	130	1850	19 755 €
OPTIONAL EQUIPMENT (SURCHARGE)								
LED lights							635 €	

EKO-FINGER

Attention! The basic price does not include the roller. Basic price includes Hydraulic-mechanical transport lockout (HBS). Option prices do not apply as a spare part prices. Possible surcharge for packaging.



TINE ANGLE
HYDRAULIC
ADJUSTMENT

LED LIGHTS (OPTION)

UNDER FRAME CLEARANCE 750 MM

SPRING TINE D=16 MM

MBS 7,2 H



#	MBS						
		M	PC	HP	KG	PRICE	
4110	MBS 6,0 H	H	6,00	50	80	1567	17 375 €
4115	MBS 7,2H	H	7,20	60	95	1710	20 275 €

OPTIONAL EQUIPMENT (SURCHARGE)		6,0	7,2
Disc coulters section		6 255 €	7 305 €
Support wheels 18x9,50-84 PR ST 52 (set)		1 415 €	
LED lights		635 €	





MCH



MLK



MNP



MCK

IMPLEMENTS



ML



#	MCH				
		PC	PC	KG	PRICE
1300	MCH	1	0,80 - 1,60	210	2 195 €

#	MCK					
		M	PC	PC	KG	PRICE
2300	MCK 1,6	1,60	8	2	246	3 660 €
2310	MCK 1,8	1,80	9	2	278	3 900 €
2315	MCK 2,0	2,00	10	2	298	4 125 €

#	MLK					
		M	M ³	PC	KG	PRICE
1205	MLK 1,6	1,60	0,50	2	342	4 225 €

#	MNP						
		M	L/W/THICKNESS	KG	PC	KG	PRICE
0900	MNP 1235 A	1,235	1000/80/40	1200	2	148	1 590 €
0910	MNP 1235 C	1,235	1200/100/40	1600	2	178	1 685 €
0900	MNP 1450 A	1,450	1000/80/40	1200	4	162	1 775 €
0910	MNP 1450 C	1,450	1200/100/40	1600	4	192	1 870 €

#	ML				
		M	M ³	KG	PRICE
1120	ML 1,2	1,20	0,35	118	1 200 €
1125	ML 1,4	1,40	0,40	186	1 220 €
1100	ML 1,6	1,60	0,45	218	1 285 €
1105	ML 1,8	1,80	0,50	228	1 375 €
1110	ML 2,0	2,00	0,55	248	1 475 €
1115	ML 2,2	2,20	0,60	268	1 695 €

OPTIONAL EQUIPMENT (SURCHARGE)	
3-point coupling	100 €
SMS coupling*	60 €
MNITOU coupling*	260 €
MNP straight tines L=1000mm (M28x1,5) (pc)	165 €

* available for min. 5 pcs orders





OPTIONAL EQUIPMENT



OPTIONAL EQUIPMENT CULTIVATORS



SHARE POINT H

More aggressive than the standard one. Thicker, harder and tougher. Recommended for no-till cultivation in medium soil conditions.



SHARE POINT HX

HX two hole reinforced sharepoint. Forged body with weld-on surface protection for superb toughness and hardness. Recommended for tough conditions.



SWEEP

Provides an effective undercut across the entire working width.




SHARE POINT DX

The share point with a weld on guard provides an exceptional durability and longlivity. Recommended for tough condition no-till cultivation.



REVERSIBLE SHARE POINT 40MM

Recommended for no-till work in tough and dry conditions. To be used with no wing shares installed.



ALL-X SHARE

For a medium depth (up to 15 cm) cultivation. The aggressive tough wearing part with an additional carbide plate.



HITCH BAR

Allows quick and easy coupling.



BORDER DISCS

Used to prevent soil to be thrown sideways, and eliminate a side furrows.



ADDITIONAL INNER SPRING

Increases tine release force - recommended in stony and clay conditions.



HYDRAULIC WORKING DEPTH ADJUSTMENT (HRGP)

Allows an effortless and a quick depth adjustment. Recommended for large machines.



TRANSPORT CHASSIS

An easy transportation with a minimal tractor fatigue. Recommended for a smaller tractors and long transport routes.



HYDRAULIC BORDER DISC ADJUSTMENT

An option allowing stepless border discs positioning, straight from the operator seat.

OPTIONAL EQUIPMENT CULTIVATORS



DISC SECTION WITH RUBBER SUSPENSION

Thanks to the rubber dampers, the discs react to the resistance of larger stones in the soil. In addition, the adjustment of the working depth of the discs based on turnbuckles greatly facilitates the correct setting of the machine.

OPTIONAL EQUIPMENT **SULBOILERS & CHISEL PLOUGH OPTIONS**



DRAIN WEIGHT WITH A CHAIN (PC)

Creates a drain channel at given working depth. Provides a better air/water circulation across all soil layers.



HEAT TREATED SHAREPOINTS

The boron steel heat treated sharepoints provide an extra longevity.



OFFSET-SHARE POINT ASSEMBLY (PC)

Provides a wide undercutting area with an exceptional aeration. Recommended for plough pan breaking.



NARROW SHARE POINT (PC)

Narrow, aggressive share point for low soil resistance at great depth.



HEAVY DUTY SHAREPOINTS

Solid construction, advanced materials, exceptional durability, carbide heads. Recommended for the most difficult conditions and large hectares.



FOLDABLE SIDE SPIKE ROLLERS

A set of foldable side spike rollers for working width extension. Used to prevent soil to be thrown sideways, and eliminate side furrows. Recommended for all 7-tines chisel ploughs.

KNIFE BLADE ROLLERS



TOP COVER PLATE

A set of top protection covers for a knife blade rollers. Recommended for a high speed operation.



SPECIAL KNIVES

Optional, oblique shape knives provide a better operation in hard conditions.



DIAGONAL KNIVES

Most aggressive blades in our offer, installed on an increased diameter rollers. Recommended for the toughest conditions i.e. maize, sunflower, rape.

OPTIONAL EQUIPMENT DISC HARROWS



SHALLOW DISC WITH HUB SPACERS

An option for a special conditions which may cause disc clog due to large amount of post harvest remains, large soil stickness, and similliar. Decreased disc depth (54 mm instead standard 84 mm) & additional 20 mm hub disc spacer, allow easy material flow.



DISC RZ D=560/5 MM OR 610/5 MM (SET)

Extra sharp discs. Features a long and very sharp cutting edge, radial ribs and variable hardness. Made of 5 mm thick boron sheet available in d=560 or 610 mm. These features ensure very effective cutting of post-harvest corn fields.



STONE PROTECTION PLATE (SET)

The set of stone protection plates mounted to each hub unit. Prevent stones from wedging between a hub and a disc.



BOLTED DISC HUBS (SET)

The modification of our famous 5-year warranty maintenance free hub. Bolted version allows fast and inexpensive hub replacement, when times matters. Designed for demanding customers.



HYDRAULIC WORKING DEPTH ADJUSTMENT (HRGP)

Allows effortless and quick depth adjustment. Recommended for large machines.



MIDDLE SOLID SCREEN (ES)

Adjustable solid screen limits the throwing of crop residues over the second bank of discs.



SKAN CULTIVATOR

Skan adjustable tine cultivator. Perfect for levelling a field surface.



SUPPORT WHEELS 10/80-12"

A set of front adjustable support wheels stabilize machine during work and help to maintain given working depth. Recommended for wide machines.



HITCH DAMPING

A set of hydraulic cylinder and a hydro accumulator with a very simple adjustment. Decreases machine vibrations, and other unwanted side movements on uneven surface. Recommended for large trailed machines.



MUD FENDERS

Adjustable, fit all size wheels. Obligatory in several countries.



620/40-22,5" OVERSIZE WHEELS

Recommended for heavy machine configuration. They offer great transport stability and low ground pressure.



BALL HITCH K80

An option available for trailed machinery. Recommended for large, heavy units.

OPTIONAL EQUIPMENT **DISC HARROWS**



MIDDLE TINE SCREEN (EA)

The adjustable tine guard reduces the discharge of crop residues onto the second bank of discs.

PRESOWING-SOWING



KNIFE CULTIVATOR

Two row, height adjustable knife blade cultivator. Knives made of HS grade spring steel. For more effective surface cutting. Perfect for crushing clods of soil.



SPRING TINE CULTIVATOR

Two row of spring tines with a straight share point. Manual height adjustment. For initial soil disturbance.



LED LIGHTS

Set of traffic lights and reflective boards with a dedicated holder.



SKAN CULTIVATOR

One row of leaf springs with paddles. Height and angle adjustment. Manual or hydraulic (option) operation. Ideal for rough soil preparation.

OPTIONAL EQUIPMENT ROLLERS



TUBULAR ROLLER D=540 MM

Recommended for light and medium soil.



TUBULAR ROLLER D=620 MM

Recommended for light and medium soil.



RUBBER ROLLER D=500 MM

Good for a reduced tillage operations. Great soil compression due to large pressing area.



T-RING ROLLER D=600 MM

A ring roller recommended for heavy, stony and lumpy soil. It offers a perfect crumbling of the surface, while leaving grooves on a field's surface.



V-RING ROLLER D=600 MM

Recommended for medium and heavy soil. Good crumbling and pressing action. Creates grooves on a field's surface – good for water penetration.



V-RING ROLLER WITH PADDLES D=600 MM

Recommended for medium and heavy soil. Good crumbling and pressing action. Creates grooves on a field's surface – good for water penetration. Additional paddles provide some extra crushing action.



C-RING ROLLER D=600 MM

Recommended for medium and heavy soil. Offering soil-to-soil action. Creates grooves on a field's surface – good for water penetration.



C-RING TANDEM ROLLER D=600 MM

Recommended for medium and heavy soil. Offering soil-to-soil action. Creates grooves on a field's surface – good for water penetration. Due to large contact area, it is offering exceptional working depth control when aggregated with a large and heavy machines.



C-RING TANDEM HD ROLLER D=600 MM

Standard C-ring rims welded to the oversized axle design for additional toughness. Recommended for toughest conditions.



PACKER ROLLER D=600 MM

Recommended for medium and heavy soil. Exceptional crumbling and pressing action. Very aggressive, ideal for pre-sowing cultivation.



DISC ROLLER D=600 MM

This roller is designed for heavy conditions. Due to heavy weight roller presses crop residues into the soil, and covers those with earth, while leveling the ground at the same time.



SPRING ROLLER D=560 MM

Each roller ring is built of 4 independent springs, thanks to which the wheels fall into a characteristic vibration, which ensures better compaction and leveling of the ground even in difficult cultivation conditions.

TINE CULTIVATOR KIT WEIGHT (KG)

(beams & holders)

**Tine cultivator in front of roller
(BPPW)**

0,9	1,3	2,0	2,2	2,6	3,0	3,5	3,8	4,8	5,6	4,0	4,5	5,0	6,0	8,0	10,0	12,0
57	61	67	84	96	104	116	198	218	226	168	131	192	208	336	384	416



Seasons and levels the soil in front of the roller, thanks to which the roller rolls on an even surface. This does not introduce the machine into additional vibrations. Recommended for pre-sowing crops

**Tine cultivator behind roller
(BPZW)**

0,9	1,3	2,0	2,2	2,6	3,0	3,5	3,8	4,8	5,6	4,0	4,5	5,0	6,0	8,0	10,0	12,0
66	75	77	93	105	113	125	225	245	263	186	141	210	226	372	420	452



Seasons and levels the soil behind the roller. Recommended for pre-sowing crops

ROLLER WEIGHTS

Roller + frame + bearings + scraper (when applies).
Roller arms are not included (they are added to machine's weight).

	0,9	1,3	2,0	2,2	2,6	3,0	3,5	3,8	4,8	5,6	4,0	4,5	5,0	6,0	8,0	10,0	12,0
Tubular roller d=540 mm	102	116	158	176	192	216	240	362	420	448	332	352	384	432	704	768	864
Tubular roller d=620 mm	116	141	181	188	218	246	260	413	478	528	376	387	436	492	752	872	984
T-ring roller d=600 mm	132	175	250	264	336	378	436	514	642	728	528	553	672	756	1056	1344	1512
V-ring roller d=600 mm	118	160	230	270	292	316	360	466	552	636	460	476	584	632	920	1168	1264
V-ring roller with paddles d=600 mm	120	163	235	275	297	323	370	475	563	649	474	486	594	646	948	1188	1292
C-ring roller d=600 mm	144	175	255	296	384	414	525	543	702	764	589	592	768	828	1184	1536	1656
C-ring Tandem roller d=600 mm	175	210	336	363	426	474	585	686	824	894	684	726	852	948	1452	1704	1896
C-ring Tandem HD roller d=600 mm	200	241	386	417	475	565	672	817	965	1047	800	834	950	1130	1544	1900	2260
Spring roller d=560 mm	150	180	330	360	400	488	520	630	788	848	668	720	800	976	1440	1600	1952
Packer roller d=600 mm	160	225	310	336	372	448	460	630	768	898	620	672	744	896	1344	1488	1792
Rubber roller d=500 mm	220	335	400	432	486	554	620	840	994	1224	864	889	972	1108	1728	1944	2216
Disc roller d=600 mm	195	223	375	405	445	530	580	765	920	976	750	810	890	1060	1500	1780	2120

Detailed information about the options and their application can be found at www.mandam.com.pl

